

1996

PVN Lithic Analysis Sheet 10

Neil Ross

Follow this and additional works at: <https://digital.kenyon.edu/honduras>

 Part of the Archaeological Anthropology Commons

Recommended Citation

Ross, Neil, "PVN Lithic Analysis Sheet 10" (1996). *Four Valleys Archive*. Paper 76967.
<https://digital.kenyon.edu/honduras/76967>

This Analysis Sheet is brought to you for free and open access by the Anthropology at Digital Kenyon: Research, Scholarship, and Creative Exchange. It has been accepted for inclusion in Four Valleys Archive by an authorized administrator of Digital Kenyon: Research, Scholarship, and Creative Exchange. For more information, please contact noltj@kenyon.edu.

Lots of sawing

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
395	B	02	Qtz	F	F						0.15						
		12	1	M	35	N-2					0.78	2.04	1.21	0.29	N	M5	
		13	1	M	35	N-2					1.58	1.77	1.42	0.50	N	Hc	
		17	1	P	35	N-2		6/90	6.0	2.5	2.01	4.02	1.24	0.30	D?	Hc	
		17	1	M	35	N-2					1.16	2.18	1.18	0.34	N	Hc	
		25	C-0	F	F						16.98				N	-	
		28	1	M	35	N-3					24.0	2.71	1.56	0.43	N	Hc	
		28	Qtz	F	F						0.65	1.40	1.20	0.27			
		29	1	M	35	N-2					3.85	3.36	1.86	0.42	D?	Hc	
		41	1	ND	35	N-2					1.20	2.85	1.18	0.30	N	Hc	
		43	1	P	35	N-1		6/91	6.6	3.3	2.28	3.66	1.29	0.50	N	Hc	
		48	1	M	35	N-2					0.99	1.82	1.13	0.40			
		48	Qtz	F	F						1.19	1.73	1.88	0.47	-	-	
		48	Qtz	F	F						1.18						
396	C	01	1	M	35	N-2					1.35	1.83	1.47	0.37	N	Hc	
		03	1	P	P85	-		6/1	4.9	3.1	0.26	1.02	1.86	0.35	P	Y	Split-T
		04	C-0	F	F		N				61.32	6.29	4.17	2.89	Y	Y	
		04	1	M	35	N-2					1.25	1.89	1.49	0.33	D?	Mcu5	
		05	C-0	F	F		S				5.17	3.53	2.06	0.51	N	-	
		05	1	F	F						0.61	1.62	0.62	0.66	P	-	Poss c-8
		06	1	P	35	N-2		6/90	7.9	2.1	1.13	2.31	1.31	0.30	N	L	
		06	1	P	35	N-2		6/91	5.8	2.6	0.48	1.76	0.86	0.25	M	LW	
		06	P	F	F		N				1.23	2.60	1.83	0.22	N	Y	
		06	C-0	F	F		N				5.49				N	-	
		09	1	M	35	N-2					1.65	2.01	1.48	0.39	N	Hc	
		10	1	M	35	N-2					2.30	3.68	1.28	0.41	N	M	
		11	C-0	P	BF(M)		N				15.15	4.81	2.98	1.02	Hc	Y	Macroblade
		11	1	M	35	N-2					3.21	3.05	1.91	0.38	N	Hc	Removes hinge
		12	C-0	F	F		S				17.20	4.49	3.24	1.35	N	-	

By:

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
395	C	14	1	P	35	N-2		S91	9.0	2.8	3.20	3.87	143	0.40	b?	Hc	
	C	14	1	M	35	N-2					1.52	2.69	127	0.30	N	Mc	
	C	14	1	M	P85	-					0.51						Prob 15
		17	1	P	35	N-2		G96	6.9	2.3	1.73	3.36	151	0.32	N	Lc	
		22	1	M	35	N-3					1.01	3.16	0.96	0.22	N	Mc	
		23	1	M	35	N-3					0.35	1.42	0.58	0.22	N	Mc	
		34	1-2	M	35	N-2					1.37	2.48	1.46	0.28	N	Mcw	
		35	1	M	35	N-2					1.43	2.58	1.52	0.33	N	L	
		36	1	P	35	N-2		G102	4.9	2.5	2.04	2.86	1.45	0.42	N?	Hc	
		39	1	D	35	N-2					0.76	2.53	1.03	0.26	N	Mc	
		40	042	-	C		N				18.97	3.35	2.33	2.23	N	-	
		41	1	D	35	N-2					1.01	2.12	1.27	0.27	N	Mc	
		42	042	-	C						6.99				-	-	
		47	1	P	35	N-2		G92	8.9	2.3	2.45	3.26	1.42	0.36	N	Hc	
		49	1-2	M	35	N-2					3.92	4.26	1.92	0.40	T	Hc	Returned to point-like tip
		49	1	M	35	N-2					1.77	2.80	1.45	0.36	N	L	
		49	1	M	35	N-2					0.96	2.61	-	0.33	N	Mc	SP. #
		49	1	M	35	N-2					0.59	0.95	1.39	0.32	N	Hc	
		49	7	M	35	N-1					0.52	1.68	0.91	0.25	N	Hc	
		49	1	F	SB	-					1.15	3.06		0.43	N	Mc	
		53	1	M	35	C-X					0.55	0.86	-	0.39	N	Lc	
		55	1	M	35	N-2					1.36	2.03	1.26	0.37	P	Hc	
		55	1	M	35	N-2					1.04	2.28	1.23	0.31	N	M	
		55	1	C	SB	-					0.40	2.61	-		N	Hcw	
		58	1	P	35	N-2		S92	4.2	1.5	1.00	2.61	1.18	0.25	N	Ms	
		58	1	M	35	-					0.86	1.50	1.47	-	SBT	Mc	
		59	1	F	R-D1						3.35	2.41	1.81	0.75	N	Mcw	Med. 35
		61	1	M	35	N-2					0.34	1.70	0.81	0.21	N	Lc	
		68	1	M	35	N-2					2.65	2.49	1.80	0.48	N?	Hc	

By:

Year / Page: 7/2/96

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
395	D	07	CEA	C	C		S				2.46				N	Y	
		14	Atz	-	CC		N				6.18	2.70	2.02	1.08	N	-	
		16	CCM	F	F		N				40.44	5.89	4.84	1.75	Y	H	Big Flake off cc
		16	CCF	F	F		S				30.77	4.98	3.46	2.66	P	Y	used as cc
395	H	01	I	I	P/Lcf						0.76	1.13	1.84	0.48	N	P	Poss core reworking - pretty exhausted
		02	I	I	35	N-2					1.30	2.67	-	0.35	SRT, D	Hc	
		03	I	I	25	N-2					1.98	3.29	1.57	0.31	N	Mcs	
		03	I	D	15	T					0.86	3.62	1.00	0.22	N	L	Not likely to be exchanged
		03	I	I	ID	-	-				0.34	1.62	1.04	0.26	N	L	15 core Poss R-D2, poss SRT
		03	I	I	R-D2						4.12	3.36	2.30	0.62	N	H	35 core Mch
		03	CCF	I	F		S				22.00	6.56	3.13	1.05	N	-	
		05	I	I	35	F-2					2.93	4.39	1.31	0.37	N	Hc	Def. chapeau
		05	I	I	R-D2						1.73	2.60	2.10	0.48	N	L	35
		07	I	I	35	N-1					0.98	3.50	0.86	0.30	N	L	Shows E-D
		07	I	D	35	N-3					1.07	2.52	1.13	0.41	N	L	
		13	I	P	35	F-2					3.20	4.45	1.31	0.39	D?	Hc	
		15	I	ND	35	H-2					0.67	2.09	0.97	0.31	N	L	
		26	CEB	NE	F	-	S				7.22	4.39	2.77	0.72	N	Y	
		30	I	I	35	N-2					2.57	2.72	1.70	0.40	D?	Hc	
		35	I	I	35	N-2					1.60	2.44	1.26	0.41	P	Mch	
		39	I	I	15	-					3.25	5.13	1.22	0.50	P	Mch/Hw	
		39	I	I	15	N-1					2.46	2.37	2.05	0.41	N	Hc	
		41	CEC	I	F		N				3.66	2.60	2.55	0.51	N	Y	
		42	I	P	35	N-1					1.27	2.50	1.35	0.32	N	L	
395	I	01	CEC	E	F		N				12.51	3.53	3.56	1.19	N	-	
		04	I	I	35	N-2					0.55	1.02	1.49	0.31	N	H	
		05	I	I	15	N-2					0.74	1.20	1.60	0.26	N	Mch	
		05	I	I	35	F-2					0.71	2.05	1.04	0.25	N	Lc	

35

By:

Year / Page: 7/3/96

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
343	J	12	1	M	35	N-1					0.97	2.30	1.09	0.34	N	MC	
		14	1	P	35	N-2		692	6.9	3.2	2.66	2.82	1.79	0.40	N	HL	
		16	1	P	15	E		689	5.0	2.5	1.54	2.18	1.81	0.33	N	L	
		19	1	P	35	N-2					1.11	1.78	1.48	0.30	N	smooth	
		22	047	P	C		N-				2319						
		22	C47	F	C						1.77				N	-	
		24	1	M	35	N-2					1.55	1.98	1.66	0.32	N	HL	
		24	1	I	58.1						0.90	2.28	1.39	0.33	N	L	Follows rejuv. faceted platform
		24	1	I	58.1						0.16						
		25	12	M	35	F-2					1.66	2.29	1.17	0.41	N	HS	
		25	1	M	35	N-2					1.97	2.31	1.49	0.43	D	HL	
		25	1	M	35	N-2					1.93	2.17	1.52	0.37	N	MCW	Removes line
		25	7	P	35	N-2		619	5.9	2.3	2.73	2.17	2.02	0.29	N	LS	
		25	1	P	P-2	-	N	6109	7.2	4.1	4.20	3.42	2.21	0.54	N	HL	35 core H
		29	1	M	35	N-2					2.60	2.76	1.63	0.36	D	HL	
		31	1	M	35	N-2					1.03	1.55	1.35	0.33	N	MC	
		31	047	I	F		D				2484	4.84	4.44	1.24	-		
		33	1	P	35	N-3		590	8.2	3.3	2.40	3.21	1.35	0.45	P	H	
		33	1	M	35	F-2					1.35	2.28	1.16	0.33	N	MC	
		34	1	I	M-1	-		572	14.9	6.5	19.00	7.00	3.27	0.89	D	HL	Poss 15 core
		37	1	P	35	F-2		689	7.3	2.6	2.33	2.85	1.67	0.42	N	HL	
		37	73	ND	25	-					2.37	3.06	1.77	0.41	D?	HL	
		37	1	MD	15	N-1					0.55	1.54	1.28	0.27	N	MC	
		37	047	-	(2)C						2730						
		41	1	P	35	N-X					4.36	5.31	1.53	0.64	N	LC	very thick
345	J	01	1	P	35	N-2		5100	5.1	2.8	2.15	3.77	1.09	0.46	N	HS	
345	K	02	1	M	35	F-1					0.70	0.72	1.77	0.49	N	H	
		03	1	D	35	N-2					0.45	2.02	1.01	0.21	N	MC	
		06	1	I	CC		S				6.97	2.02	1.86	1.89	P	P	

By:

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
395	L	06	Alt	-	C						2247						
		07	1	17	35	E-2					183	3.32	1.38	0.29	11	MW	
		13	1	17	35	N-2					0.76	1.23	1.38	0.34	N	ML	
		13	C-ct	P	E	-	N				11.50	2.83	2.81	0.93			
		14	1	NE	15-5	-		NA	-		1.93	4.13	1.43	0.44	N	VL	very dorsal Crested ground
		14	1	E	ID						0.58	2.43	0.79	0.32	N	P	Poss R-L
		14	1	M	PBF	I					0.96	1.45	1.57	0.30	N	L	Repaired both sides
		14	P	I	E		S				1.28	2.72	1.36	0.29	N	L	
		15	1	17	35	N-2					1.17	2.15	1.36	0.29	N	H	
		15	1	P	35	N-2		990	5.7	2.9	1.24	2.97	1.17	0.28	N	CL	
		18	18	E	E		N				11.29						
		21	1	17	35	N-1					1.02	3.11	0.90	0.31	N	M5	
		21	1	17	35	E-2					3.44	4.81	1.22	0.47	N	HC	
		21	C-ct	I	E		S				2.65	4.90	4.95	2.44	N	-	
		21	C-ct	-	C						5.73				P	-	
		22	C-ct	E	E						10.04				N	Y	
		22	1	17	35	N-2					0.98	1.57	1.48	0.36	N	LC	
		22	1	-	PBF	-					0.29					H	
		22	1	17	35	E-2					0.75	1.13	1.45	0.37	N	L	
		22	C-ct	-	C						8.76				N	-	
		23	C-ct	I	E		S				6.58	3.40	2.28	0.84	N	-	
		23	C-ct	I	E		S				16.47	5.60			N	-	
		24	1	17	35	N-3					0.29	1.08	1.14	0.16	N	L	
		25	1	17	35	N-2					4.06	2.33	1.22	0.32	N	MW	
		25	1-2	17	35	E-2					0.23	1.17	0.72	0.19	N	L	
		27	1	17	35	N-2					0.59	1.43	1.23	0.22	N	CL	
395	M	02	1	17	PBF	-					0.89	2.16	-	0.31	SB	-	
		08	1	17	35	E-2					2.27	3.03	1.48	0.37	N	HC	
		10	1	P	35	N-2		61x	7.8	2.4	6.42	1.15	1.18	0.22	N	L	

By:

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len.	Wid	Thk	Ret	Use	Comments
395	17	12	1	C	C-B						262	2.83	1.32	0.74	N	Y	Exd 35
	17	12	1	M	35	N-2					158	2.47	1.17	0.40	N	Hc	
	12	1	M	35	N-2						1.30	3.34	0.90	0.30	N	Lc	
	12	1	I	ID							0.40	1.14	1.23	0.25	N	L	↑ faces of PC finds
	12	C6N	-	C							19.55	26.5	3.76	1.83	N	-	
	12	C6B	-	C							5.34				N	Y	
	13	2	17	35	N-2						259	3.14	1.83	0.31	N	N5	
	13	1	P	35	N-2			684	54	2.1	6.73	2.77	0.83	0.19	N	MC	
	13	1	N	35	N-3						0.75	1.73	1.14	0.25	N	LS	
	13	C6W	F	F							5.27				P	Y	
	14	1	17	PBF							1.22	1.50					Patina
	16	1	M	35	E-2						0.74	1.30	1.36	0.30	N	LC	
	16	1	D	25	-						0.82	2.19	1.15	0.31	N	MC	
	16	C6R	C	C		M					3.23				N	-	
	16	Q47	-	C							2.93						
	17	1	M	35	E-2						1.51	2.71	1.20	0.35	N	-	
395	N	12	1	17	35	E-2					3.40	2.95	1.89	0.42	N	NW	
	13	1	17	35	E-2						4.93	4.65	1.57	0.52	D	Hc	
	19	1	D	35							0.95	2.23	1.42	0.24	N	LH	
	25	C-2	17	35	N-2						2.12	2.76	1.68	0.35	N	MC	
	27	1	17	35	N-2						0.83	2.83	0.97	0.29	M	H	
	27	1	C	I							0.27	1.11	0.76	0.31	-	N	
	27	P	±	F		D					2.60	1.86	2.37	0.54	P	Y	Peric seg.?
	38	1	M	35	N-1						1.34	1.88	1.69	0.35	N	H	Not pulled
	38	1	D	35	N-2						0.80	1.97	1.19	0.30	N	M	
	38	1	M	35	E-2						0.42	1.08	1.00	0.27	N	H5	
	38	P	F	F		S					0.14						
	41	1	M	35	E-1						2.12	2.49	1.68	0.37	N	Hc	
	41	1	M	35	N-2						0.84	1.71	1.49	0.23	N	MC	

By:

Year / Page: 7-3-96

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
395	N	472	1	M	35	N-1					2.23	3.04	1.72	0.44	N	MC	
375	O	01	1	P	35	F-2		5/18	6.4	2.3	1.88	2.73	1.38	0.36	N	M	Ret. to graver tip after water-worn
		01	1	M	35	N-2					2.96	3.51	1.64	0.50	T		
		01	1	F	PBF						1.16				N	V	
		02	1	M	35	N-3					2.24	2.83	1.34	0.35	N	HC	
		04	1	M	25	-					2.89	3.73	1.69	0.46	N	HC	
		10	1	P	12			5/92	12.7	4.1	10.05	4.02	3.29	0.53	N	HC	R. Ae? All pressure scars
		10	1	M	35	N-2					2.61	3.17	1.57	0.31	N	HC	
395	I	26	1	H-D	35	N-3					1.78	2.09	1.92	0.53	N	MC	shows R-D
395	N	18	P	I	(2) F	S					0.84						

By:

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
410	B	01	1	M	35	E-X					0.69	2.33	-	0.31	N	MC	split
		23	C-11C	-	C		N				3.45				M		
		25	C-50	I	CC						1.67	4.30	6.73	5.45			Baren in for
		26	C-11	-	C						5.61						
		28	1	M	35	E-2					0.42	2.14	0.84	0.19	N	LC, MS	
410	C	01	1	M	35	N-2					0.45	1.19	1.16	0.34	N	L	
		01	1	M	35	N-2					0.69	2.19	1.08	0.23	N	MS	
		01	1	E	M2						7.42	3.02	3.28	0.85	P	Y	R-PR? 35 core M used as CC
		10	1	M	35	N-2					0.86	2.71	0.83	0.37	N	M	
		19	C-18	-	CC		S				8.50	6.12	5.21	2.70	P	-	
		20	1	M	35	N-1					1.17	2.01	1.64	0.32	N	MS	
		22	1	P	35	E-X					1.02	1.47	1.33	0.31	N	MS	
		22	1	P	35	E-X					0.58	1.05	1.04	0.38	N	Y	
		24	1	I	35						0.10					P	
		27	1	M	35	E-2					0.73	1.36	1.29	0.33	N	LC	
		37	1	P	35	N-3					3.57	3.63	1.70	0.41	M	LC	
		38	1	P	35	N-1					1.79	2.90	1.31	0.45	N	H	
		38	1	D	35	N-2					1.23	2.80	1.37	0.21	N	MS	
		38	1	M	35	N-2					1.43	2.84	1.86	0.31	N	MS	
		41	C-12	-	C		S				3.270				P	V	
410	D	05	1	M	35	N-2					0.50	1.04	1.19	0.28	N	L	
		09	1	M	35	N-1					1.74	3.36	1.30	0.39	M	MC	
		11	7-11	M	35	N-2					0.71	2.71	1.24	0.17	N	L	
		14	1	D	35	N-3					1.87	3.20	1.46	0.29	N	MC	
		14	1	M	35	N-2					3.08	4.93	1.34	0.37	N	MC	
		17	1	D	35	N-2					1.02	2.16	1.63	0.23	N	MC	
		17	C-18	P	E		N				1.35	2.34	3.34	1.66	N		
		21	1	P	35	N-2					4.29	5.05	1.44	0.53	N	MS	Patina

By:

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
410	D	24	P	I	F		D				383	293	236	0.45	N	Y	
		26	2	P	35	N-2		SP4	6.9	2.8	0.99	5.43	1.89	0.55	N	L	Broken in 2
		27	C4	F	F						6.67	3.71	1.69	0.78	P	Y	Follows scalloped edge
		31	1	P	35	N-2		SP5	6.5	2.6	1.03	1.80	1.32	0.34	N	M	
		31	1	P	35	N-2					4.44	5.25	1.44	0.47	N	M	
		38	2	P	35	N-2		6.93	6.3	1.9	0.56	2.07	1.28	0.29	N	M	
		38	1	P	35	N-2					1.91	3.80	1.50	0.21	N	H	
		38	1	P	35	N-2					2.92	3.50	1.49	0.43	N	H	
		38	1	P	35	N-2					2.65	4.71	1.26	0.31	P	M	
		38	1	P	35	N-3					4.34	4.85	1.71	0.39	N	L/H	
		38	1	P	35	N-2					1.05	2.06	1.26	0.32	N	M	
		38	1	P	35	N-2					1.30	2.59	1.38	0.38	N	M	
		38	1	P	35	N-2					0.41	1.56	1.31	0.21	N	L	
		38	1	P	35	N-2					0.63	1.34	1.01	0.41	N	L	
		38	1	P	35	N-2					1.46	5.38	2.84	1.04	N	L	
		43	C4	F	F		N				4.76	3.38	1.90	0.78	N	Y	
		47	1	P	35	N-2		SP4	5.8	1.8	1.61	2.83	1.40	0.33	N	M	
		47	1	P	35	N-2					1.03	2.06	1.37	0.30	N	M	
		47	1	P	35	N-2					0.95	2.24	-	-	N	Y	
		48	1	P	35	N-3					5.07	5.64	1.51	0.43	N	M	2 pieces
410	H	15	1	P	35	N-2					1.59	2.80	1.44	0.34	N	M	
410	C	02	C4	-	C		S				4.18	8.17			N	-	
		05	1	P	35	N-3					0.55	1.01	-	0.35	N	-	
410	E	02	1	P	35	N-1					0.25	1.89	0.79	0.21	N	L	
410	F	01	1	P	35	N-2		SP4	6.0	2.6	3.31	4.41	1.35	0.46	N	M	Broken in 2
		07	1														

By:

Year / Page: 6.28.96

Validity within Obs I

core industry

Year / Page: 6-28-96

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
411	D	01	1	M	35	E-2					1.35	1.65	1.59	0.40	M	MCLW	
		01	CCG	I	E		N				9.95	3.25	3.31	0.96	M	-	
		01	CCG	-	C		N				7.25				P	Y	
		02	CCG	I	E		N				4.55	3.41	3.59	0.30	N	-	
		03	1	M	35	E-1					1.23	1.82	1.60	0.42	N	M/LHS	
		03	1	M	35	N-1					3.00	3.30	1.51	0.50	N	HC	
		03	1	M	PBF						0.46					Y	
		09	1	P	35	E-1		5.90	7.2	2.3	3.11	4.02	2.05	0.35	N	M	
		09	1	P	35	E-2		5.96	6.3	3.2	2.06	3.33	1.26	0.40	N	HC	
		09	1	M	35	E-2					2.46	2.78	1.58	0.40	N	HC/Hs	
		09	1	M	35	E-2					1.25	1.72	1.76	0.29	N	HC	
		09	1	I	E-D						0.71	1.64	0.99	0.45	N	HS	
		09	1-2	M	15	E					0.56	1.55	1.21	0.29	N	HS	Pass Recycling of exhausted core
		09	CCG	E	E		N				4.00	1.75	2.35	1.11	N	Y	
		11	1	M	35	N-1					0.63	1.41	1.37	0.26	N	H	
		16	1	M	35	E-2					1.73	3.26	1.46	0.33	P	VH	
		22	P	I	E		S				0.70	1.72	1.56	0.32	N	Y	
		22	1	M	C-B						1.13	2.42	0.85	0.42	N	L	Exhausted 35 - longest split
		25	1	M	35	-					0.68	0.98	-		N	H	
		25	1	P	35	E-2		5.90	7.3	3.6	6.05	5.74	1.61	0.41	N	HC	Broken in two - in integrity?
		25	CCG	I	E		S				16.98	2.96	4.98	1.13	N	-	
		26	1	M	P-X						5.52	2.80	2.03	0.89	N	Y	Broken up
		27	1	M	35	E-2					2.07	2.38	1.52	0.42	N	H	
		27	1	M	35	N-1					1.43	1.63	1.60	0.43	N	H	split
		29	1	M	35	E-2					1.61	2.44	1.65	0.29	P	HC	
		29	1	M	P-2						2.45	1.15	2.43	0.74	N	N	35 core
		29	1	M	PBF	-					1.12	2.53	-	-	N	HC5	split
		32	1	M	35	N-1					0.80	1.86	1.23	0.31	N	HC	
		32	1	M	35	N-X					0.71	1.49	-	-	N	HCW	
		36	1	P	35	N-2		5.92	7.8	3.0	2.23	2.48	1.82	0.36	N	HS	

By:

Year / Page: 6-28-96

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
411	D	45	1	M	35	F-2					2.50	5.14	1.19	0.31	N	LC	
		45	1	M	35	F-2					1.18	2.75	1.07	0.29	N	M	
		45	1	M	35	N-3					1.43	2.68	1.50	0.34	N	LCW	
		45	1	M	35	N-2					1.04	1.78	1.63	0.35	M	M5	
		46	P	I	C		S	C			1.70				M	L	
		46	1	M	35	N-2					2.12	2.99	1.31	0.40	N	M5	
		52	1	P	35	N-X			3.0	1.2	0.20	1.73	0.53	0.17	N	VC	
		52	1	M	35	N-2					1.40	2.29	1.33	0.34	N	MC	
		52	1	D	35	-					0.23	1.04	1.27	0.17	M	M	
		54	1	M	M-1	-					6.61	1.63	3.30	(1.15)	N	M	Frag. of huge piece
		54	1	M	35	N-2					1.66	2.32	1.58	0.29	N	LC	
		55	1	R	35	E-X		SX	4.6	2.1	0.92	1.59	1.33	0.39	M	M5	Removes step
		55	1	P	35	E-X		SX	6.8	2.5	0.99	1.77	1.95	0.27	N	M	Probably studied
		55	P	C	C		S				6.74				N	L	
		55	P	I	F		S				0.34						
		58	1	P	35-2	N-2					1.12	2.80	1.38	0.23	N	LC	
		58	1	P	35	F-2					2.29	3.70	1.42	0.30	N	MC	
		58	1	M	35	F-2					2.02	2.90	1.35	0.39	N	MC	
		411	E	D	25	-X3					2.58	2.94	1.66	0.49	N	MC5	
411	B	87	1	D	35	F-2					0.37	3.10	0.62	0.19	N	VL	
411	C	04	1/7	P	35	N-2					2.05	3.72	1.27	0.32	N	MC5	
		04	1	D	PBF	E					0.22	1.14	1.07	0.13	N	L	
		14	C-CT	I	BF	1	N	Y			12.93	6.10	2.34	0.87	D	MC	
		16	C-CAF	I	F		N				9.96	3.05	2.93	0.50	N	-	
		17	C-FR	I	F		S				7.629	2.76	6.67	1.87	P	-	
		18	1-2	P	35	F-2					2.97	2.85	1.60	0.45	P	MC	
		18	1	M	35	N-2					1.53	1.66	1.77	0.40	N	MC	
		18	C-CT	F	F		S				6.60	4.12	1.81	1.06	N	Y	

By:

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
411	C	24	1	D	35	N-2					4.23	4.45	1.66	0.52	N	ML	Shows R-D
411	C	31	1	MT	M-1	-		SIX	7.8	4.5	8.87	4.96	2.60	0.70	H	HCS	34r-shaped dorsal
411	C	31	1	M	35	E-1					108	2.70	1.19	0.27	N	H5	
		31	1	M-D	35	N-2					043	1.90	0.93	0.23	N	ML	
		33	1	P	35	N-2		5/94	7.7	2.7	2.87	4.15	1.28	0.37	N	HC	
		33	1	P	35	N-2		6/94	3.5	1.3	104	3.77	0.93	0.23	N	L	
		33	1	M	35	N-3					183	2.64	1.54	0.36	D?	MC	
		33	1	M	35	N-2					180	2.90	1.62	0.25	N	MC	
		33	1	M	35	N-2					1.11	2.00	1.28	0.37	N	MY	
		33	1	M	35	N-3					1.57	2.25	1.47	0.31	N	LC	
		33	1	M	35	N-3					1.02	2.50	1.10	0.26	N	MC	
		33	1	F	C	N					7.15				P		
		35	1	M	35	E-2					349	3.51	1.65	0.36	D	HCW	
		37	1	M	35	E-2					0.97	2.10	1.48	0.25	N	LC	
		37	1	F	IF						0.17	0.87	1.21	0.27	N	Y	
		37	1	M	PBF						0.84	2.02	-		SRT	Y	
		59	1	M	35	N-2					0.94	1.88	1.31	0.32	N	MCW	
		59	1	M	35	N-2					1.19	1.85	1.64	0.31	N	H	
		59	1	D	35	N					1.77	2.98	1.71	0.36	N	HC	Hinge
		66	1	M	35	N-2					1.01	2.21	1.12	0.26	N	MY	
		73	P	C	C		5				1.87						
411	E	05	1	M	35	N-2					1.49	1.89	1.43	0.39	N	H	
		05	1	M	35	E-2					0.78	1.41	1.49	0.29	N	LC	
		05	1	D	35	-					0.30	1.14	0.80	0.37	N	C	U. late

By:

Year / Page: 7/9/96



PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cont	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
411	B	41	1	M	35	N-3					1.81	3.18	1.18	0.38	N	LC	
		50	1	P	M-2			5/85	1.14	0.52	4.68	2.45	2.60	0.73	P	M	15 core
		47	1	D	25	N					0.51	2.00	1.00	0.25	P	M	
411	C	03	1	M	35	N-2					0.63	1.61	1.04	0.32	N	LC	
		03	1	M	35	N-2	N				7.05	4.15	2.57	0.72	N		
		42	1	M	35	N-2					1.20	1.89	1.52	0.30	N	M	
		46	1	M	35	N-2					1.88	2.76	1.62	0.37	N	M	
		55	1	M	35	N-2					1.12	2.10	1.64	0.31	N	L	
		55	1	M	35	N-2					2.63	3.22	1.54	0.42	D	HCS	
		55	1	M	35	N-2					1.99	3.69	1.70	0.35	D	H	
		55	1	M	35	N-2					1.06	1.44	1.65	0.33	N	H	
		55	1	M	35	N-2					0.65	1.32					same blade, broken during excavation
411	D	01	1	M	35	N-2					1.58	1.92	1.71	0.44	P	HC	
		01	1	P	35	N-2		5/98	6.4	2.6	1.21	1.71	1.50	0.32	N	M	
		02	1	M	15	N-2					2.74	2.63	1.92	0.41	N	H	
		02	1	M	15	N-2					0.76	1.55	1.14	0.37	N	CH	
		10	1	M	35	N-2					2.54	3.65	1.25	0.34	N	HC	Highly abraded ventral
		10	1	M	35	N-2					2.24	3.45	1.22	0.41	P	H	
		16	1	M	35	N-2					0.58	0.95	1.59	0.41	N	L	Integrity
		18	1	M	35	N-2					7.48	3.45	2.86	0.65	N	M	35 core n-l repair
		18	1	M	35	N-2					0.12				N	V	
		18	1	M	35	N-2					0.32				N		
		28	1	M	15	N-1					1.72	1.66	2.09	0.45	N	M	
		35	1	P	35-2	N-2					2.68	3.75	1.46	0.32	D	HC	
		37	1	P	35	N-2					2.55	3.14	1.59	0.46	N	M	
		40	1	P	35	N-2					3.08	3.97	1.73	0.34	D	H	
		42	1	M	35	N-2					0.81	1.96	1.23	0.22	N	CH	
		53	1	M	35	N-2											

By:

Year / Page: 7/25/96

PVN Lithics Catalog Form

[illegible]

By:

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
411	B	39	1	M	35	N-2					2.35	4.74	1.30	0.30	D	MC	
		39	1	M	35	N-2					2.72	3.28	1.44	0.39	D	HCU	
		39	1	M	35	N-2					2.80	3.02	1.71	0.37	N	MC/?	
		39	1	M	15	N-1					2.43	3.94	1.57	0.38	N	MC	
		68	1	M	35	F-2					2.92	3.86	1.44	0.39	N	MC	
411	C	49	1	M	35	N-2					2.36	3.28	1.48	0.35	D	HC	Near F
		69	C-4	N	PBF		N				1.43	3.17	1.33	0.25	N	Y	Translucent
		69	C-4	C	C						2.15						
411	D	07	1	P	35	N-2			SPS 6.8	3.0	2.72	3.35	1.87	0.30	N	MCU	
		07	1	M	35	N-2					2.48	4.23	1.29	0.37	E	ML	
		07	1	M	15	N-1					0.92	1.76	0.90	0.26	N	HC	
		07	S	M	35	F-2					1.26	2.21	1.24	0.33	P	H	
		47	1	M	PBF	-					0.55	2.18	-	-	-	-	
		57	1	M	35	N-2					2.69	3.26	1.64	0.33	N	Y	Highly abraded/polished, then used
		57	1	M	35	N-2					1.05	2.28	-	0.38	N	Y	
		57	C-8	I	C		N				0.87						
		04	C-8	C	C		M				2.13						
411	C	54	1	D	35	N											

PVN Lithics Catalog Form

Screened

*
A12-5
below

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
485	A	06	P	I	E	-	S	C			0.49	1.40	1.25	0.21	N	Y	
	A	09	P	I	E		S	C			0.32	1.28	1.27	0.17	N	L	
	A	11	P	D	MS	N					0.30	1.41	0.97	0.23	N	LC	
		13	P	P	35	N-2		584	7.0	3.0	1.72	2.52	1.54	0.31	N	L	
		13	P	C	e		S				0.88				N	-	
		13	C-CB	F	CC		N				6.4	1.59	2.06	1.74	N	-	
		13	C-FT	F	F		N				0.65	0.81	1.55		P	Y	
		14	P	E	F		N				0.94	1.59	1.06	0.54	P	Y	
		18	P	M	35	N-2					2.73	4.36	1.63	0.33	N	L	One thing, very scar
		18	P	D	35	N-2					1.46	2.81	1.20	0.32	N	VL	One badly r'p'd scar
		18	P	-	CC		D				8.13	2.57	3.16	0.76	N	Y	
		18	P	I	F		D				0.38	1.33	1.40	0.23	N	-	
		18	P	C	C		N				0.10						
		25	P	M	25	N-2					2.72	4.08	1.65	0.32	N	L	
		25	P	M	35	N-2					2.33	2.54	1.51	0.42	N	7C	
		25	P	F	F		N				0.22	1.07	0.89	0.28	N	Y	
		26	P	M	35	N-2					0.31	1.01	1.70	0.24	N	L	
		26	P	C	F		N				0.24	1.25			N	L	
		26	C-FD	I	F		S				7.87	5.73	6.65	2.14	N	Y	
		27	P	P	35	N-2		598	9.4	1.4	1.64	2.77	1.33	0.30	N	L/H	
		29	P	C	C		S				0.85				N	P	
		30	P	D	35	N-2					0.63	2.49	1.14	0.23	N	LC	
		30	P	M	35	N-2					0.38	1.17	0.96	0.24	N	H	
		30	P	D	35	N-1					0.16	1.38	0.68	0.17	N	VL	
		30	P	C	F		S				0.36	1.18			N	Y	
		30	C-CTF	I	F		S				14.58	2.69	4.07	1.38	N	-	
		30	C-CTF	F	F		N				7.09	3.33			N	-	
		30	C-CTF	F	F		N				5.02	1.92	2.55	0.87	N	-	
		30	C-CTF	F	F		N				2.06	1.92	2.02	0.37	N	-	
		30	C-CTF	-	C		N				8.35	2.65	2.16	1.79	P	-	

Same material

By:

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
485	D	46	I	F	PBF						0.12						
		46	P	F	F		S				0.44				N	Y	
		47	P	I	(2)F		S				1.25				N		
		47	Aug.	I	F		N				5.93	2.45	3.52		N		
		47	C-20	F	FLC		N				4.45	5.04	4.47	2.20	P	-	
		48	P	I	F		S				0.93				N	Y	
		48	Qtz		(4)C,F						16.34						2 file 2 chkr.
		49	C-47	I	F		N				22.90	4.82			N	-	
		49	C-47	-	(2)C						17.03						
		49	Qtz	I	F						13.53						
		50	P	F	(2)F		S				2.45				N	Y	
	below	51	P	-	C		N				70.72						
		51	C-47	-	C						95.84				N		
		51	Qtz	-	C(4)						74.64						
		52	I	M	35	N4					0.46	1.30	1.02	0.24	P	Y	
		52	P	E	F		S				1.33				N	Y	
		52	Qtz	-	(2)C						30.60						
		53	C-47	I	CL		S				287.99	5.58	7.76	6.06	N	-	
		56	I	M	35	NX					0.62	1.64	1.03	0.33	N	Y	
		56	P	I	F		S				0.36				N	Y	
		56	C-47	-	C		N				10.95				N	-	
		58	P	I	F		S				0.51				N	Y	
		60	I	P	M2						11.35	3.69	3.28	0.92	P	H	15 core Prob R. (steps)
		60	I	M	35	F-2					2.31	1.90	1.85	0.50	P	MC	
		60	I	P	35	N-2					2.61	2.85	1.88	0.35	N	MC	
		60	P	E	F		S				0.36				N	Y	
		60	I	F	F						0.64	1.13	1.22	0.45			No distinguishing features
		60	C-47	I	F		S				12.59	3.24	3.51	0.93	N	-	
		60	C-47	I	F						2.85	3.77	1.90	0.39	N	Y	
		60	C-47	F	F						6.03				N	-	

By:

Year / Page: 7/5/96

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	Sp	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
485	D	61	1	P	35	N-1		5/88	5.7	3.9	2.31	3.44	1.45	0.38	N	MC	
		61	1	IT	35	F-3					1.86	2.34	1.72	0.46	SRT	MC	
		61	1	C	PBF	-					0.75						
		61	P	C	C		S				0.71				N	Y	
		62	1	IT	35	N-2					4.51	4.09	1.86	0.45	N	HC	
		62	1	IT	35	N-2					0.93	1.44	1.36	0.27	P	MC	
		62	P	I	C		D				0.68	1.61			N		
		63	1	IT	35	N-2					2.50	2.40	1.70	0.42	N	Y	In b. 4
		63	P	I	C		S				0.93				N	Y	
		63	P	E	C		S				1.16						
		64	1	IT	35	F-3					1.87	1.90	1.55	0.34	N	Y	
		64	1	D	35	-					0.94	2.41	1.47	0.22	N	Y	
		64	P	C	(2)F		S				0.70				N	Y	
485	E	03	2	IT	35	F-2					1.37	2.14	1.50	0.27	N	L	
		03	1	IT	35	N-2					1.97	3.26	1.34	0.34	P	H	
		03	1	C	PBF						0.45						
		03	P	C	C		S				0.24				N	Y	
		04	1	E	PX						3.75	2.83	0.94	1.14	-	N/A	Beater up
		11	1	IT	35	F-2					2.91	3.43	1.35	0.50	N	L	
		12	1	IT	35	N-2					0.78	1.25	1.37	0.31	N	L	
		12	1	C	PBF						0.47						
		12	P	E	C		D				1.26	1.96	1.68	0.28	N	-	
		12	P	-	CE		D				1.87				N	P	
		15	P	I	C		D				1.44	2.21			N	Y	
485	A	61	P	I	C		S	C			0.76	1.48	1.48		N	Y	
486																	

By:

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
485	B	45	7	P	35	N-2		692	3.9	1.9	0.99	3.4	0.87	0.31	N	LC	
		45	1	P	35	N-2		S/X	6.1	2.9	1.00	1.68	1.30	0.34	N	LC	
		45	1	P	35	N-2					0.87	1.44	1.26	0.43	P	Y	
		45	P	I	E		S				0.71	1.41			N	Y	
		45	LC-AT	F	E		D				1.86	3.36			N	Y	
		45	LC-WE	F	E		N				2.75				N	Y	
		45	LC-GE	-	C		N				20.70				N	-	
		45	QTL	-	C						3.794				N		
485	A	02	1	P	35	H-2					1.08	2.41	1.46	0.33	SB-78		
		02	1	M	35	N-2					0.29	1.16	-	0.20	N	M	
		02	LCY	F	C		S				3.53				P	Y	
		02	LC-CA	NLE	BF		N				1.80	2.99	1.05	0.54	T	Y	Retouched to graver
		03	1	P	35	N-2					0.98	1.25	1.66	0.36	N	M/H	
		03	P	E	(3)F		S-2				1.49						
		03	LC-T	F	E		N				0.72				P	Y	
		04	LC-B	M	BF		N				1.28	3.00	0.79	0.40	T	Y	Retouched to graver
		04	LCV	F	CC		S				50.29				N	-	
		05	P	I	F		S				1.51	2.06			N	Y	
		48	1-2	NLE	T-NLE						4.14	2.12	3.06	0.57	M	Y	3 facets visible, not platform, poss. double
		48	P	F	B PE						1.05	2.84	1.13	0.28	T		Blind point on blade
		48	P	F	C T		S				0.43				N	Y	
		48	LC-AT	E	E		N				1.71				N	-	
		66	1	P	35	E-2		590	4.0	2.6	2.29	3.15	1.35	0.40	D	MC	
		66	1	P	35	N-2					1.51	2.90	1.22	0.33	N	LC	
		66	1	P	35	N-2					2.49	3.42	1.41	0.34	N	MC/MS	
		66	1-2	M	35	H-2					0.92	1.87	1.41	0.23	D?	MC	
		66	1	P	35	N-2					1.11	1.38	1.68	0.34	N	LC	
		66	2	M	35	N-2					1.11	2.03	1.26	0.33	N	LC/MW	
		66	P	I	F		S				2.71	1.91			N	Y	

By:

Year / Page: 7/5/96
7/26/96

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
485	A	66	CCTC	3F	(4)F		N				15.02				N		
		66	Att	-	C						229						
485	B	02	CCTC	F	F		S				51.05				N	-	
485	C	03	1	M	3S	N-2					4.22	4.39	1.55	0.48	D	MC	
		03	1	M	PBF	-					0.55	1.82	(1.60)	0.22	N	MC	
		03	P	I	(3)F		S				2.72				N	Y	
		03	CCT	E	F		N				2.85				N		
		03	CCT	-	C						0.50				N	-	
		04	1	P	3S	N-X					1.32	2.19	1.44	0.36	H	MC	
		04	1	P	3S	N-2					2.48				N, M		
485	D	29	P	F	F		S				0.52				N	Y	
		50	1	M	3S	N-2					2.13	2.80	1.51	0.35	N	LC	
		50	P	I	(3)F		S-2				3.82				N	Y	
		50	CCT	E	F		D				1.27				N	-	
		46	1	M	3S	N-2					1.70	2.52	1.52	0.40	N		
		46	CCT	F	F		S				3.52				N	-	
485	A	21	P	I	F		S				1.66						
		22	1	M	3S	N-2					2.86	4.86	1.38	0.28	N	MC	
		22	P	I	(2)F		N				0.30						
		22	P	I	F		S				0.93						
		22	CCT	E	F		N				1.12						
		38	1	M	3S	N-2					0.55	1.74	1.07	0.23	N	MC	
		38	P	NI	C		N				0.72						
		38	P	I	(3)F		S				3.34						
		38	P	I	C		D				0.35						

By:

Year / Page: 7/26/96

PVN Lithics Catalog Form

Screended

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
486	A	01	1	M	35	N-2					344	460	1.44	0.42	N	MW	
		01	1	D	25	-					2.94	2.99	2.18	0.45	N	H	
		01	1	D	15	N-1					2.34	2.58	1.76	0.63	N	Hc	
		02	1	P	35	N-2			6/056.8	2.2	1.08	2.16	1.35	0.28	N	Mc	
		02	1	M	35	E-2					0.40	1.59	0.99	0.20	N	LC	
		02	1	P	E	-					0.68	1.50	1.24	0.44	N	Y	
		02	1	P	E	-					0.68				N	Y	
		02	1	P	E	-					0.37	1.55	0.90	0.16	N	M	
		03	1	M	35	N-2					0.37	1.55	0.90	0.16	N	LC	
		03	1	P	35	N-2			993 30	1.4	0.37	1.84	0.64	0.24	N	LC	
		03	1	D	35	N-1					0.33	1.38	1.25	0.18	N	LC	
		03	1	P	(S)F	-					4.28				N	Y	
		04	1	M	35	N-1					0.61	3.71	0.71	0.22	N	LC	
		04	1	M	35	N-1					1.28	2.24	1.88	0.28	N	LC	
		04	1	P	E	-					10.90	4.40	2.56	1.05	P	Y	
486	B	02	1	F	35	N-3			6/984.1	1.5	3.35	7.01	1.07	0.40	N	MW	
		02	1	M	35	N-2					0.96	1.36	1.58	0.24	N	LC	
		02	1	P	(2)F	-					0.58				N	Y	
		03	1	M	35	E-2					1.56	2.71	1.19	0.34	P	MW	
		03	1	M	35	N-2					0.92	1.71	1.50	0.28	D	Mc	
		03	1	M	35	E-2					0.48	1.04	1.21	0.29	N	LC	
		03	1	M	35	-					0.14				N	LC	
		03	1	P	(2)F	-					0.73				N	LC	
		03	1	M	35	N-2					4.808				N	LC	
		08	1	M	35	N-2					1.91	2.44	1.68	0.39	N	LC	
		08	1	P	(2)F	-					3.80				N	LC	
		08	1	P	(2)F	-					2520	3.65	4.13	1.55	N	-	
		09	1	P	(2)F	-					0.29	0.85	1.34	0.22	N	NA	Possibly facets visible on edge
		10	1	P	(2)F	-					201				N	Y	

By:

Year / Page: 7/5/46

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
486	B	11	1	P	35	N-2		6192	4.1	1.5	0.79	2.93	0.82	0.31	N	LC	
		11	1	N	35(2)						0.82						Frgs of chert
		11	1	F	F		S				0.40				N	Y	
		12	1	N	PBF						1.08	2.26	1.54	0.27	N	HS	Big impurity
		13	1	N	P-2			X	-		8.44	2.44	2.49	0.56	N	YLC	Big impurity, big
		13	1	P	(2)E		S				1.52				N	Y	Pos
		13	1	P	(2)E		S				2.93						
		13	1	P	(5)E		S				0.40	1.74	0.82	0.21	N	LC	
		13	1	P	(3)E		S				1.73	1.83	2.04	0.57	N	Y	
		16	1	N	P-1						4.67	2.11	2.98	0.78	N	ST	
		18	1	N	CB1						2.46	2.71	1.63	0.58	P	H	35 core, follows R-L's
		19	1	N	35	F-2					0.44	1.44	0.99	0.21	N	LC	
		19	1	N	35	F-2					0.65	2.94	0.75	0.57	N	LC	
		20	1	N	15	N-2					2.22	2.85	2.18	0.33	N	LC	
		20	1	P	I	C(3)	S				2.57				N	F	
		22	1	P	F		S				1.37				P	P	
		23	1	P	F		S				1.19				N	Y	
		24	1	P	F		S				0.56				N	LC	
		25	1	N	35	N-3					0.82	3.52	0.93	0.20	N	LC	
		25	1	P	-	C	N				0.63						
		25	1	P	-	C	N				0.59				P	Y	
		25	1	P	-	C	N				0.75				P	Y	
		28	1	P	35	N-2		6196	3.8	1.8	0.75	3.34	0.71	0.27	N	LC	
		31	1	E	PBF						0.38						
		31	1	P	F	(3)E	S				1.12				P	-	
		31	1	P	F						2.51				P	-	
		33	1	P	F		S				0.95	1.35	1.94		N	Y	
		35	1	P	F						9.72				N	Y	
		35	1	P	F						15.38	8.41	7.24	0.60	P	-	
		35	1	P	F						16.69	5.32	6.16	4.50	P	-	
		38	1	P	F						9.91				P	-	
		38	1	P	F						0.27	1.41			N	Y	

By:

Year / Page: 7/5/96

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
486	B	39	1	17	35	N-2					2.35	2.84	1.49	0.40	N	Nc	
		39	1	F	PBF						0.23				N	L	
		39	P	I	F		D				1.78	2.82	1.96	0.29	N	Y	
		39	P	F	(2)F		S				1.06				N	Y	
		39	CCP	E	F						3.44				N		
		39	CCP	I	F						7.42	5.77	4.90	2.32	Y	P	
		41	1	17	35	F-1					0.80	1.55	1.22	0.36	N	Nc	
		41	1	17	35	N-3					1.16	2.14	1.11	0.41	N	17	
		42	1	17	PBF	-					1.11	1.90	1.41	0.43	N	17.5	
		42	P	F	(2)F						0.56						
		43	P	I	F						0.67				N	P	
		46	CCP	I	C						1.329				N	-	
		46	P	CC		4	Not				5.70	2.24					
		47	1	17	35	F-2					1.80	2.07	1.61	0.39	N	LC	
		47	CCP	I	C						2.93				N	Y	
		B	27	1	I	35DF	E				1.19	2.30	1.68	0.44	N	LC	
		27	P	I	(2)F		S				0.65				N	Y	
		33	1	P	35	N-2					4.31	5.84	0.48	0.479	N	Hc	Broken
		33	1	P	35	N-2					0.83	2.50	1.22	0.25	N	LC	
		33	1	17	35	N-X					1.05	1.96	-	0.35	N	L	

By:

Year / Page: 7/5/96

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec	Regl	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
144	A	03	1	D	25	N-1					142	3.15	1.42	0.40	N	VLC	
		06	2	M	35	N-2					095	1.98	1.32	0.25	N	MC	
		06	2	M	35	N-2					0.72	1.41	1.39	0.27	N	Hw	3 but spds source
		18	P	I	F		S				1.18	1.78			N	LC	
		22	1-2	P	35	N		0/90	9.6	3.3	1.28	1.81	1.31	0.35	P	HS	
		22	1	M	35	N-2					108	1.58	1.54	0.30	N	TL	
		22	1	M	PBF	M					0.48	1.23	1.11	0.32	N	Hw	
		22	1	M	35	N-X					0.50	1.53		0.25	N	L	
		22	CAT	E	C		N				1.19				N	-	
144	B	17	P	E	E		S				1.68	1.66	1.74		N	M	
		17	P	I	E		S				1.91	2.10	1.28		N	M	
		30	1	M	35	N-2					2.27	3.33	1.45	0.44	N	Mw	
		30	2	D	35	E					1.25	2.76	1.36	0.40	N	TL	Hinge coarse black spds
		30	1	P	35	-		SN	4.3	2.6	0.53	0.79	1.25	0.47	N	TL	
144	C	10	1	M	35	N-2					1.42	2.31	1.63	0.27	N	TL	
144	D	04	1-2	M	35	N-2					1.12	1.56	1.30	0.38	N	MS	
		20	1	M	35	N-1					0.56	2.11	1.06	0.20	N	MS	
144	E	03	P	E	E		S				0.18	0.61			N	P	
		06	1	P	35	N-2		SN	11.1	3.2	3.33	4.44	1.53	0.33	N	HL/S	
		06	1	M	35	N-2					1.12	2.19	1.47	0.30	D	HL smooth	
		18	P	I	(4)F		S				1.83						
		18	C-GR	E	C		S				0.34						
		14	P	IF	(5)F		S				2.42						
		14	1	M	35	N-2					0.88	1.49	1.15	0.32	N	TL	
		57	1	M	35	N-2					0.53	1.17	1.42	0.22	N	HS	Ness?
		62	1	M	35	N-2					1.92	3.06	1.45	0.29	N	MS	Poss is
		65	1	P	25	N-2					0.84	2.35	1.37	0.24	N	LC	
		67	1	P	35	N-2		SN	9.0	3.8	1.55	1.50	1.58	0.41	N	MC	
		67	1	M	35	N-2					1.64	3.08	1.29	0.30	N	LC	Neg f
		67	CCT	AT	E		N				5.66	4.56	3.64		N	-	

BY

*

PVN Lithics Catalog Form

Op	Sub Lot	Mat	Seg	Spec.	Reg	Corr	SF	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
144	E	84	CCB	E	C											
		74	P	F	CC	N				7.71	3.64	2.11		M	-	
		82	P	F	C	S				1.86				N	-	
		83	1	17	35	N-2				2.95	2.63	1.97				
		83	1	17	35	N-2				0.78	1.23	.91	0.30	M	M5	
		83	1	17	35	N-2				0.44	1.30	-	0.33		M5	
		83	1	ND	15/25	N				0.33	1.17	1.41	0.20	N	LC	
		83	1	F	PBF*					0.61	2.48	(0.97)	0.33	T	-	Bird point (NT)
		83	1	E	B*					0.17	1.20	0.70	0.32	T	D.11	prob Bird point (BP)
		85	1	F	15-F					0.86	2.38	1.32	0.26	N	LC	
		86	1	P	35	N-2				1.64	2.48	1.54	0.26	N	ML	
		86	1	ND	25	N				0.29	1.36	1.09	0.17	N	LC	
		86	P	E	F	S				2.38	1.54	2.15	0.55	P	Y	
		87	1	17	35	N-2				1.78	2.38	1.48	0.39	N	ML	
		87	1	17	35	N-2				0.90	2.05	1.19	0.28	D	HC	
		87	1	17	15	N-2				0.45	1.35	1.28	0.24	N	MC	
		87	1	17	35	N-2				0.25	1.80	0.75	0.18	N	LC	
		87	1	17	35	N				0.62	2.09	-	0.19	P	HW	
		87	1	17	35	N-2				0.25	1.21	0.98	0.19	N	LC, MW	
		89	1	17	35	E-2				1.81	3.42	1.17	0.36	N	H5	
		89	1	17	35	N				1.03	1.92	1.24	0.33	P	HW	End heavily used
		89	1	17	35	N				0.69	1.51	-	0.24	N	ML	
		89	1	17	35	N-1				0.50	1.34	1.08	0.30	N	NCLW	
		89	P	F	MF	S				2.88	2.28					
		89	P	F	F	S				1.64	2.00					
		89	P	F	F	S				1.60				N	-	
		89	CCB	F	C	S				1.52	2.48	1.54	0.41	N	LC/5	Shows Reverse scar
		92	1	D	PBF					0.18	1.29	1.26	0.12			
		92	P	E	C	S				1.24				P	Y	
		92	P	E	C	S				0.59	2.24			N	ML	
		93	P	I	E	S										

By

*

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
144	C	06	1	P	35	E-X		5/90	7.2	3.4	3.46	5.08	1.48	0.39	N	MS	Very messy, hinges
	09	1	P	35	N-2			5/87	7.9	1.8	2.86	3.68	1.95	0.35	N	PLC	
	12	1	HD	35	N-1						0.72	2.57	1.14	0.27	N	MS	
	12	P	T	F			S				3.58	1.95	2.18	0.90	N	Y	
	17	1	P	35	N			6/1	12.1	3.0	1.03	1.54	1.79	0.27	N	LC	
	17	1	P	35	N-2			5/90	10.5	3.9	5.74	7.40	1.49	0.35	D	HLC	Neat/F + continuous curve
	18	1	P	35	N-2			5/91	7.4	4.2	3.33	4.26	1.47	0.44	D	HLC	Box hinge
	27	1	P	35	C-2						1.06	2.34	1.06	0.27	N	H	
	67	1	M	(815)							1.33	3.02	1.12	0.37	N	VLC	Blade-like longitudinal split
	69	P	-	C							0.75				N	M	
	69	P	F	F							2.25	2.06	2.65		N	LC	
	70	1	P	35	E						3.77	3.94	1.77	0.41	N	ML	Slows R-D, P.L. Hinge Highly irregular
	70	1	P	35	N-X			5/1	6.4	2.6	1.07	2.27	1.90	0.26	N	Y	Prob. 50--F
	71	1	M	35	N-2						2.40	3.03	1.53	0.42	N	ML	
	71	1	P	35	N-2			6/1	6.3	3.4	1.24	1.86	1.46	0.44	N	ML	
	71	1	P	35	N-1			6/10	4.9	3.2	1.59	2.96	1.35	0.35	N	HW	
	75	1	ND	15	-						0.26	1.07	-	-	M	M	
	* 11	1	P	35	N-2			4/86	5.6	1.4	1.57	4.15	1.11	0.23	N	LC	
144	G	07	1	P	35	N-2		5/85	9.7	3.0	2.70	3.08	1.61	0.42	D	HEW	
	11	1	P	35	N-3						2.32	4.91	1.30	0.29		PVC	2 pieces
	14	1	P	35	N-2			5/94	8.7	2.5	0.86	2.12	1.26	0.24	N	HLC	Prob. 5
144	H	23	1	D	35	N-X					0.78	2.15	1.22	0.27	N	UHL	
	23	1-2	C	B							4.75	2.32	3.17	0.72	T	-	Prob point base No. only seen visible
	27	1	P	35	N-2			5/84	12.5	4.2	2.84	3.67	1.69	0.35	N	LC	
	31	1-2	T	35	N-2			5/84	7.3	2.8	5.60	7.03	1.45	0.44	N	LC	Source
	35	1	P	35	N-2						1.75	3.23	1.32	0.31	N	LC	
144	F	01	1	D	25	E-1					1.17	3.06	1.42	0.25	N	ML	Snake-like
	04	1	P	35	N-2						2.11	2.95	1.49	0.40	N	HS	

10 below

By

PVN Lithics Catalog Form

Op	Sub Lot	Mat	Seg	Spec	Reg	Cont	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
144	I	16	1	17	35	N-2				0.46	1.19	1.60	0.17	N	LC	
	17	1	P	35	N-X		S/X	7.3	3.1	0.95	1.56	1.29	0.37	N	HS	
	17	1	M	35	N-2					0.50	1.56	1.11	0.19	N	MC	
	25	1	17	35	N-2					0.99	3.01	1.17	0.23	N	LC	
	25	1	M	35	N-1/2					1.04	2.20	1.11	0.36	N	LC	
	25	1	P	35	N-X		S/X	8.9	2.5	1.32	1.40	1.61	0.42	P	H	
	25	1-2	M	35	N-2					0.38	1.46	0.95	0.20	N	MC/HS	Back spots
	26	1	P	35	N-2		G/X	6.9	3.0	2.21	4.83	1.13	0.29	N	MC	
	26	1	D	35	N-3					0.87	2.40	0.95	0.28	N	MCW	
	26	1	M	35	N-2					1.33	2.09	1.31	0.37	N	HW	
	26	1	D	35	N-2					0.51	1.82	0.95	0.18	N	LC	
	30	1	M	35	N-2					1.04	2.30	1.09	0.25	N	LC	
	31	1	M	35	N-2					1.71	3.78	0.91	0.35	D	HCW	
	31	1	P	35	N-3		G/X	3.3	1.9	0.73	2.31	0.92	0.24	N	C	
	34	1	M	35	N-2					2.90	4.42	1.85	0.28	N	C	Wavy edge
	36	1	P	35	N-X					0.93	1.61	1.29	0.32	N	MS	
	36	1	M	35	N-2					0.46	1.62	0.91	0.23	N	LC	
	36	1	P	15-F	-		G/X	4.2	1.6	0.61	2.19	1.08	0.23	N	LC	
	36	P	I	F	S					1.09	1.64					
	38	1	M	15	N-1					0.42	1.49	0.54	0.25	N	MC	
	39	1	P	35	N-1		S/X	6.6	3.1	1.33	2.29	1.48	0.37	N	LC	
	39	1	M	35	N-2					0.32	1.08	1.38	0.19	N	LC	
	39	1	M	15	N-2	S				0.52	1.35	1.31	0.23	N	MC/S	1 whole facet carter
	39	1	M	35	N-1					0.24	1.96	0.74	0.13	N	N	16ss long or
	39	1	M	25	N	T				0.76	1.96	1.90	0.16	N	C	
	*10	1	M	35	N-2					1.00	2.65	1.13	0.23	N	LC	
144	J	04	1	P	35	N-2	G/X	9.2	3.3	1.52	2.65	1.25	0.32	N	MC	
	04	1	M	35	N-2					0.61	1.23	1.00	0.33	D	HC	Worn
	04	1	M	35	N-1					0.22	1.07	1.00	0.22	N	MCW	

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments	
144	J	07	2	M	35	N-2					0.78	1.90	1.06	0.30	N	ML	Black spots	
		07	1	M	35	N-1					0.24	1.31	0.84	0.19	N	ML		
		07	1-2	M	35	N-1					0.16	0.46	1.25	0.35	N	VL		
		07	1	M	35*	N					0.98	2.78	1.31	0.31	T	-	Black point (T)	
		08	1	D	35	N-2					0.56	2.39	0.86	0.27	N	LC		
		09	1	P	35	N-2		S	5105	6.0	2.5	1.00	2.59	0.89	0.31	N	HS	
		09	1	M	35	N-2					0.95	1.38	1.34	0.36	N	HS		
		09	P	I	E		T				0.56	2.09	0.80		N	LC		
		09	P	I	E		S				4.16	2.83	1.59	1.12	N	MS		
		10	CCP	-	C		N				5.22							
		12	CCK	-	C		N				1.20							
		13	1	M	35	N-1					0.43	1.44	1.09	0.27	N	ML		
		13	1	M	35	N-2					1.04	2.04	1.14	0.29	N	MS		
		13	1	M	35	N-2					0.71	1.01	1.49	0.36	N	MS		
		13	1	M	PBF	N					0.82	1.02	-	0.45	N	C		
		13	1-2	P	35	N-2					0.14	1.78	0.50	0.17	N	LC	Black spots	
		13	1	M	PBF	-					0.94	1.95	1.38	0.40	T	-	Point tip	
		13	CCP	-	C						4.60	3.22			N	-		
		13	CCP	-	C		S				1.50							
		19	1	P	35	N-1			U186	8.5	3.0	1.23	2.05	1.34	0.34	N	MS	
		19	1	M	35	N-2					1.05	2.08	1.18	0.28	N	MS		
		19	1	M	35	N-3					1.02	1.99	1.06	0.34	N	MS		
		19	1	M	35	N-2					1.05	2.49	0.95	0.31	N	MS		
		19	1-2	M	35	N-1					0.66	2.02	1.12	0.28	N	LC		
		19	1	M	35	N-2					0.13	0.97	0.96	0.18	M	LV		
		19	1	M	35	N-2					0.55	1.54	1.90	0.36	N	LC		
		19	1	M	PBF	-					0.85	2.18	1.23	0.35	N	-	Black point (MS)	
		19	P	E	E		S				0.31	1.53			N	LC		
		19	1	M	35	N-2					3.15	3.37	1.63	0.42	N	ML	Near J	
		19	1-2	P	35	N-2			6190	6.0	1.6	1.19	3.50	1.13	0.26	N	LC	

By

*

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
144	J	28	P	I	F		S				0.92	2.33			N	L	
		30	I	NE	35	N-2		S178	70	2.9	6.65	9.02	1.62	0.37	N	LCW	* curved
		30	I	P	35	N-1		U100	5.4	2.8	1.00	2.70	1.09	0.25	N	HE	
		30	I	M	35	N-2					0.46	1.71	1.37	0.26	D	HC	
		30	I	M	35	N-1					1.28	2.85	1.24	0.32	D	M/LH	
		30	I	M	15	N-2					0.62	1.29	1.43	0.24	N	LC	
		31	I	M	35	E-3					2.84	3.94	1.27	0.45	N	LC	
		31	I	M	15	N-2					0.95	1.91	2.01	0.37	N	HS	
		31	I	M	35	N-2					0.80	2.85	1.04	0.29	T	-	Bird point
		33	I	M	35	E-2					0.85	1.27	1.68	0.31	N	MS	
		33	P	I	E		S				1.04	1.41			N	P	
144	K	03	I	M	35	N-2		S190	87	4.0	0.93	2.11	1.27	0.28	N	MC	
		14	I	P	35	N-2					0.93	2.43	1.07	0.27	P	HS	
		14	I	M	35	N-2					0.25						
144	L	10	P	I	E		S				2.70	1.65			N	Y	
		13	P	I	E		S				0.48	1.12	1.47	0.27	N	LC	Small blade dots
144	M	01	I	M	35	N-1					2.38				N	Y	
		04	P	E	E		D				1.87	2.68	1.80	0.34	N	MC	
		07	I	P	35	N-1					0.65				N	L	
		07	P	E	E		S				0.51	1.69	1.21	0.26	T	HC	Bird pt (D)
		14	I	C	PBC#	-					1.04	1.13	1.88	0.35	N	MC	
		38	I	M	35	N-2					2.25	4.05	1.60	0.28	N	MC	
144	N	02	I	P	35	N-1		G193	88	2.9	1.48	1.70	1.79	0.36	N	LC	
		07	I	D	35	N					0.81	1.73	1.11	0.36	N	LC	
		07	I	M	35	N-3					0.76	1.48					
		08	P	I	E		D				1.92	3.18	1.76	0.32	N	LC	
144	O	05	I	P	35	N-2		\$88	85	1.8	0.84	1.94	1.63	0.17	N	MCs	
		05	I	TH	25	N					2.09	1.86					
		05	C-8	I	E		N				0.41	0.81	1.27	0.30	N	H	
		07	I	P	35	N-2		\$x	82	2.9							

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
144	0	11	1	M	35	N-1					1.64	2.95	1.42	0.32	N	HL5	
	0	15	1	M	35	N-3					0.78	1.28	1.28	0.36	H	LC	
	0	15	1	M	35	N-2					3.00	4.30	1.32	0.39	D	WHCS	
	0	24	P	C	C						0.40						
	27	P	I	E	E	H					1.13	1.50					
	33	1	H	35	N-2						0.83	1.65	1.44	0.28	N	ML	
	33	P	I	E	E						1.59						
	33	P	I	E	E						0.40						
	35	1	M	35	N-3						2.05	3.30	1.63	0.30	M	LC	
	37	1	P	35	N-2						2.05	3.41	1.37	0.34	H	MCW	
	37	1	P	35	N-2						1.98	2.56	1.84	0.35	N	ML	
	34	1	M	35	N-3						1.92	2.20	1.81	0.35	P	HC	
	43	1	M	35	N-1						1.57	3.86	1.31	0.31	N	LC	
	43	P	D	F							1.53	3.11					
	44	1	P	35	N-2						1.24	1.98	1.52	0.30	N	LC	
	77	1	M	35	N-2						1.57	2.52	1.54	0.29	N	ML	
	77	P	I	E	E						0.46	1.50					
	78	1	D	35	N-3						0.19	1.29	0.98	0.15	N	LC	
	144	P	03	1	M	35	N-2				0.67	1.27	1.16	0.33	M	HC	
	03	1	M	35	N-2						0.51	1.16	1.27	0.35	N	ML	
	06	1	M	35	N-2						0.31	1.35	1.11	0.18	H	LC	
	06	1	P	PBF							0.50	1.40	1.16	0.33	N	LC	
	07	1	M	35	N-2						1.66	3.64	1.37	0.29	N	MCW	
	07	1	C	PBF*							0.66	1.83	1.32	0.28	T		
	14	1	M	35	N-2						0.92	1.14	1.56	0.49	N	LV	
	14	1	M	P.R.I.							1.72	1.93	2.46	0.32	N	MCW	
	14	1	M	P-2							4.20	2.48	2.24	0.68	Y		
	14	P	-	C							3.34				Y		
	14	P	I	E							0.67				N	LC	

Boysland point

Poss 15-C Hinge

Point?

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Regl	Cont	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
144	Q	06	P	E	E		D				221	257			N	Y	
		15	P	E	E		S				218	176			N	Y	
		40	P	M	35	N-1					046	102	1.36	0.31	N	P	
		86	P	E	E		T				1.55	2.20					
		97	P	-	(2)C		D				4.37						
144	R	78	P	D	35		S				0.77	2.92	1.01	0.25	N	NL	End is hinge
		83	P	E	E						0.15	1.46	0.77	0.12	N	LC	
		83	P	C	E						0.12						
144	T	12	P	M	35	N-3					4.15	6.23	1.72	0.28	N	NL	
144	W	01	P	E	35	N-3		62	6.3	4.2	5.64	9.13	1.20	0.26	N	LC	Coarse dark spots Broken in 2 (antique?)
		01	P	M	35	N-3					3.77	4.06	1.03		N	NL	
		01	P	M	35	N-1					1.08	3.01	0.88		N	LC	
		01	P	ND	25	N-2					0.73	1.60	1.49		N	LC	
		01	P	D	15	N-2					0.25	1.37	1.15		N	LC	
		01	P	P	35	N		6x	6.6	2.4	0.56	0.84	0.22		N	Y	
		01	P	M	(6)35	N-2					4.60	2.55	1.09	0.65			
		02	P	P	35	N-2		6	9	7.9	2.5	1.96	2.85	1.20	0.27	N	NL/LMS
		02	P	M	35	N-2					1.26	1.67	1.28	0.26	N	NL/L	
		02	P	M	35	N-3					0.59	2.29	1.30	0.16	N	NL	
		02	P	D	15	N-2					0.45	2.23	0.87	0.94	N	LS	
144	X	01	P	M	35	N-2					1.62	2.33	1.11		N	NL	
		01	P	M	(8)35	N-2					6.49	2.60	0.31	0.37		Y	
		01	P	M	(2)15	N-2					1.73						
		01	P	M	(2)35	N-1					1.48						
		01	P	P	(2)35	N-2		2-5			2.18						
		01	P	ND	15	N					0.43				N	CC	
		01	P	D	35	N					0.62				N	CC	
		01	P	M	35	N-2					1.75	1.74	1.44	0.39	N	HS	
		01	P	M	35	N-2					0.32	1.18	0.59	0.22	N	LC	Blade-like Flaked core
		01	P	E	SB-T						0.14	1.79					

PVN Lithics Catalog Form

Op	Sub Lot	Mat	Seg	Spec	Reg	Corr	SP	L	W	Mass	Len	Wid.	Thk	Ret	Use	Comments
144	X	01	1	NE	35-5	-		9.4	22	0.58	252	0.98	0.19	N	PVL	
	01	1	17	35	C-2					0.82	225	1.01	0.27	T	Y	Retarded to grave
	01	1	NE	B*						0.70	170	1.21	0.40	T	-	Bird pt. on J?
	01	1	17	35*	N-2					0.60	1.67	1.29	0.34	T	-	Rough bird pt.
	01	1	F	BE			-			0.90	253	1.29	0.29	N	LC	Comp. metal core??
	01	1	D	35	M-					0.51	1.88	0.83	0.30	N	LC	
	01	C-6	F	F		N				2.01				P	Y	
144	Y	01	P2	P	35	N-2		18.4	1.8	1.34	3.00	1.70	0.26	N	Hs	
	01	1-2	P	35	N-2			19.0	4.8	3.2	1.01	1.74	0.29	N	LC	
	01	1	P	35	N-2			18.8	6.2	2.9	1.21	2.00	0.37	N	LIT	
	01	1	P	35	N-1			18.8	5.3	3.0	1.84	2.81	0.39	N	77	
	01	1	P	35	N-2			17.6	4.2	0.71	1.15	1.53	0.37	N	LC	
	01	1	P	35	N-2			14.4	4.9	2.6	0.50	1.71	0.75	N	17W	
	01	1	NE	35-5	N-2			18.0	5.6	1.8	0.54	2.94	0.85	N	LC	
	01	1	NE	35-5	E-2			19.5	2.5	1.1	0.19	2.46	0.62	N	LC	
	01	1	M	25	E-1					1.95	3.64	1.55	0.32	N	LC	Reverses step
	01	1	17	(4)35	N-2					3.62						
	01	2	M	35	N-2					0.48						
	01	1-2	17	35	N-3					0.88						
	01	1	M	(3)35	N-1					2.53						
	01	1	ND	15	N-2					0.84					MW	
	01	1	ND	15	N-1					0.32					LC/Hs	
	01	1	ND	(4)35	N-1					0.73					2=LC	
	01	12	17	35	N-2					0.27						
	01	1	F	P8C	-					0.50	1.93			P	MW	graver?
	01	1	17	35*	N-2					0.64	2.03	1.38	0.36	T	-	Bird point (T)
	01	1	F	P8C*	-					0.63	1.84	1.06	0.41	T	-	" (H)
	01	1	17	35*	N-2					0.53	1.89	0.94	0.25	T	-	Rough Bird point (NT)
	01	1	F	IF						0.59	1.78	0.87	0.39	N	LC	
	01	2P?	I	IC						0.31	1.44	1.80	0.16	N	LC	

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
144	Y	01	C-GB	E	F		D				1.14	1.67			M	Y	
		01	C-GB	-	C		S				1.04				M	L	
Y	02	1	M	(7)35	N-2						4.33						
	02	1	M	35	N-3						1.52						
	02	1	M	(3)35	N-1						1.63						
	02	1	D	(3)35	N						1.94						
	02	1	M	PBF							0.56						
	02	1	N	35	N-2						3.10	8.39	1.01		N	LC	
	02	1	P	35	N-2						5.90	6.1	2.5	1.74	2.51	1.48	
	02	1	P	35	N-2						5.1	8.2	2.5	1.16	1.37	1.52	
	02	1	P	35	N-2						5.78	8.9	2.2	0.96	2.36	1.11	
	02	1	P	35	N-2						4.94	4.6	2.9	1.02	2.10	1.38	
	02	1	P	35	N-2						6.90	4.3	2.8	0.67	1.79	0.93	
	02	1	P	35	N-2						6.86	4.4	1.6	0.32	2.13	0.77	0.23
	02	1	P	35	N-2						5.91	1.5	1.0	0.45	1.78	0.66	0.13
	02	1	P	35	N-2						4.86	8.7	3.8	1.85	1.78	2.01	
	02	1	P	35-D	N-3						0.73	1.75	1.34				
	02	1	P	25	N						0.16 →						
	02	1	M	PBF	E						1.64	1.84	1.76 →				
	02	1	M	PBF	E						0.94	2.53	1.45 →				
	02	1	D	35	N						0.98	1.93	1.51 →				
	02	1	M	35	N-2						1.68	2.21	1.73	0.40 →			
	02	1	C	PBF → B							0.12	1.36	0.72	0.21 →			
	02	1									0.34	2.03	1.32	0.20			
	02	1									0.89	1.74	1.27	0.37			
	02	1									0.25						
	02	1									0.43						
	02	1									0.36						
	02	1									0.25						
	02	1									0.71						

Portion of dorsal pitted (egw)

Ross P-2

Bird point (I)

(I) Tip

(P)

(P)

(P)

(P)

(P)

(P)

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
144	Y	02	660	F	C		D				2.46	2.44	4.20				
144	2	02	1	M	(9)35	N-2					13.08	4.65	1.65				
		02	722	M	35	N-3					1.90	3.03					Bevel translucent grey, coarse
		02	1	M	35	N-3					1.78						
		02	1	M	35	N-1					0.64						
		02	1	D	(3)35	N					1.63						
		02	1	M	15	N-3					1.23						
		02	1	D	35	E					3.09						
		02	1	M	(3)PBC	-					1.59						Probably mixed
		02	1	P	35.7	N-1					1.85	3.00	1.47				
		02	1	P	35	N-1					1.23	2.85	1.46				LC/PC, inground or by washers
		02	1	P	35	N-2					0.60	1.90	0.96				
		02	1	P	35	N-2					0.98	5.8	2.2	1.03	2.59	0.90	
		02	1	P	35	N-2					0.90	9.9	3.5	0.91	1.51	1.28	
		02	1	P	35	N-X					0.43						Pick tip
		02	747	C	PBC*						15.31	2.85	2.70	1.83			Powder?
		02	1	M	C-P						3.50	2.74	1.34	1.00			1 pres. facet
		02	1	F	(-F)						0.46	2.61	0.89	0.20			
144	AE	02	1	D	35	N-3					2.13	3.38	1.68	0.38			MS
		04	1	D	35	N-2					0.60	1.29	1.06	0.27			MS
		04	1	M	35	N-2					0.22	1.22	0.79	0.16			LC
		04	1	M	35	N-X					0.22						
		04	1	C	PBC	-					0.73	1.63	1.43	0.23			M
		05	1	M	35	N-2					0.22	0.73	1.00				L
		AF	03	1	P	35	N-2				1.05	1.79	1.39	0.36			M
		AD	03	1	M	35	N-2				2.12	3.09	1.41	0.48			MS
		05	1	M	35	N-2					0.47	1.05	1.34	0.28			Y
		AR	02	1	M	PBC	-				2.165	3.98	3.87				Y
		AV	01	C-D	P	F	S				1.03	2.85	1.13	0.35			L
		AY	1	P	F												

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
144	BB	01	1	P	35	N-2		6/91	0.7	2.5	1.58	3.42	1.32	0.22	N	M	
		01	1	P	35	N-2		5/90	5.2	2.7	1.15	1.82	1.51	0.34	N	L	
		01	1	M	(3)35	N-2					3.15						
		01	1	P	35	N-X		5/91	6.1	2.0	1.17	2.34	1.46	0.23	Y	Y	
		01	1	M	15	N-2					0.84						
		01	1	M	35	N-1					0.53						
		01	1	D	PBF	N					0.71						
		01	P	F	(2)E						1.04						
		01	C48	F	C						6.25						
		01	C48	F	C						5.04						
		02	1	M	35*	N-2					0.57	1.61	1.29	0.29	T	-	
		02	1	P	35	N-2		4/90	6.8	2.7	1.03	1.99	1.46	0.25	N	M	Rough bird point (N.E.)
		04	1	F	(3)PBF						0.60						
		01	1	P	35	N-X		5/91	7.5	3.1	2.83	4.29	1.60	0.31	N	L	
		01	1	M	35	N-2					1.06	2.50	0.97		N	H	
		02	1	P	35	N-2		5/80	7.0	3.2	1.56	2.72	1.64	0.31	N	M	
		02	1	M	35	N-X					0.61	1.83	1.36	0.25	Y		Returned to tip (part of point?)
		02	1	M	35	N-X					0.30						
		02	C4T	F	C						2.12						
		02	02	1	M	(2)35	N-2				2.52						
		02	1	M	(2)35	N-3					1.31	3.28			N	MC	7 end, probably broke in antiquity
		02	1	P	35	N-2		5/92	7.6	3.0	2.33	3.11	1.41	0.41	N	H	
		02	1	M	PBF	-					0.65	1.86	1.04	0.33	P	H	
		02	1	M	PBF	-					3.21	4.45	1.65		N	M	
		01	1	P	35	N-2					2.73	3.12	1.72	0.37	N	H	
		01	1	P	35	N-2		5/90	10.1	2.8	0.64	2.24	0.94		N	L	
		01	1	P	35	N-2		5/84	4.3	2.6	0.54	1.48	0.90		N	L	
		01	1	P	35	N-2		5/8	5.5	2.8	0.54	1.48	0.90		N	L	
		01	1	M	35	N-3					0.81	1.73	1.07		N	L	
		01	1	D	(2)25	N					1.90						
		01	1	M	15	N-1					0.63						

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec	Reg	Cont	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
144	EE	01	1	D	35	N-3					0.82						
		01	1	D	35	N-1					0.11						
		03	1	D	35	N-4	S				1.00					N	Mw
144	I	27	1	NT	35	N-3		685	8.9	3.3	5.11	8.66	1.57	0.29	N	LC	
		27	1	NT	35	EY		694	11.1	4.4	3.68	4.44	1.71	0.27	N	MC	Irregular dorsal scar, reys
		27	1	P	35	N-2		592	11.6	3.1	3.22	4.41	1.50	0.35	N	HS	
		27	1	P	35	N-2		590	5.8	2.5	1.65	2.04	1.69	0.34	N	MC	
		27	1	AT	35-5	N-2		590	6.0	2.6	0.81	3.72	1.04	0.17	N	LC	
		27	1	P	35	N-2		590	8.2	3.9	1.33	2.61	1.37	0.33	N	LC/MW	
		27	1	P	35	N-2					0.83	3.40	1.07	0.23	N	LC	
		27	1	ND	35	N-2					0.66	1.86	1.28	0.32	N	LC	
144	A	14	CEB	I	F		N				16.51	4.42					Washed + processed
		14	CEB	I	F		S				78.20	7.18					
		17	1	M	15	N-1					0.64						
		18	1	M	35	N-2					0.34						
		28	1	M	35	N-2					0.40						
144	B	15	1	I	TM						1.44	1.90	2.18	0.32	N	Y	
		23	1	P	35	N-1		S			1.52						
		72	1	P	15-D	N-1					1.25						
144	C	02	P	I	F		S				0.52						Treatment center
144	D	23	1	I	F		S				0.78	2.02					
144	E	10	P	I	(2)C		S				5.05						
		13	1	M	35	N-2					1.85						
		14	P	I	CC		S				4.50						
		14	P	I	F		D				0.63						
		14	P	FI	(2)C		S				2.39						
		14	P	FI	C		N				0.63						

Many indistinguishable from
Intergrade

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
144	E	14	1	D	35	N					0.70						
		14	1	M	35*	N-2					1.29	2.79	1.56	0.26	T		Refouced to rough pt. (F)
		26	1	M	35	N-3					2.29						
		46	P	I	E						1.10						
		46	P	I	(2)E						1.87						
		46	P?	-	C						1.14						
		48	P	-	C						3.72						
		54	1	M	(3)35	N-2					2.64						
		59	P	I	E						0.77						
		68	P	I	E						2.001						
		71	1	M	35	N-2					1.25						
		72	1	M	(3)35	N-2					3.79						
		78	1	P	35	N-2					2.68						
		78	P?	E	E						0.42						No clear features
		88	P	I	CC						7.20						
		88	P	I	(2)E						0.18						
		88	P	I	E						0.71						
		93	1	M	35	N					0.93						
144	F	30	1	M	(2)35	N-2					1.15						
		40	P	I	E						0.59						
		46	P	E	E						1.02						
		52	1	P	35	N-2					2.30						
		57	1	P	P	N					0.68						P-Pt sec?
144	G	01	1	M	(2)35	N-2					1.02						
		09	1	M	(2)35	N-2					1.60						
		09	1	ND	P						0.95						
		09	1	D	15	N-2					2.81						
144	H	03	1	M	35						1.06						
		09	1	M	35	N-2					2.79						
		09	1	M	35	N-2					2.15						

B7

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
144	H	04	1	ND	35	N-1					0.62						
		04	1	P	35	N-1					0.50						
		09	1	M-D	35	N-1					0.42						
		09	P	T	F		S				1.16						
144	I	02	1	P	35	N		S			0.92						
		21	1	M-D	35	N-2					1.31						
		21	1	D	25	N					0.27						
		23	1	M-D	35	N-2					0.35						
		39	P	I	F		S				0.89						
144	I	06	1	M	35	N-2											
		11	P	I	(3)F		S				2.87						
		11	P	F	F		N				0.63						
		14	1	P	35	N-2		S			1.62						
		14	1	P	35	N-1		S			0.44						
		14	1	D	35	N					0.36						
		20	1	M	(2)35	N-2					2.17						
		20	P	I	F		N				0.33						
		35	1	M	35	N-3					5.85	5.29	1.29	0.53	N	HC/MW	Late, thick Prox end retouched to point
144	H	13	1	P	35	N-1					1.52	3.14	1.26	0.36	T		Narrow bird point (ret)
		13	1	H	PBF	-					0.52	2.60	0.90	0.32	T		Grinding to minimize dorsal hinge
		13	1	P	35	F		G			1.48	3.65					35 edge
		13	1	P	R-D						2.77	2.42	2.62	0.42	N	MW	Thin, messy
		15	1	P	35-D			G			0.22	1.33					
		18	1	M	35	N-2					0.48						
144	M	03	P	I	F		S				1.04						Prob fragment of bird point
		05	1	F	B.F.						0.24						
		19	1	M	35	N-1					1.08						
		36	P	I	G/F		S				8.49	3.47	2.95				
		37	P	I	F		S				0.95						
144	N	17	1	M	35	N-2					1.73						

B,

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cont	Sp	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
144	N	18	I	PD	25	N					0.53						
144	O	25	P	I	E		S				0.51						
144	P	09	Cut	I	E		S				3.96						
		10	I	M	23	N-2					2.30						
		19	P	I	F		S				1.01						
		21	I	P	33	N-2		G			1.06						
		21	I	M	33	N-2					0.61	1.59	1.16	0.29	T		Notched to make rough bird pt. (P)
		21	I	M	33	N-2					0.32						
		21	I	PD	33	N-2					0.32						
		21	P	I	F		S				0.82						
		23	I	P	33	N-1		G			0.47						Thin
		23	P	I	E		S				1.54						
144	Q	13	P	I	E		N				0.43						
		19	I	M	ABF*	-					0.45	1.61	1.26	0.23	T		Ret. to rough point (I)
		19	P	I	E		N				1.07						
		19	P	I	E		S				2.22						
		21	I	P	33	N-1		S			3.51	4.15					
		28	P	I	E		S				0.36						
		36	P	I	E		T				0.48						
		46	P	I	E		S				0.86						
		53	I	P	33	N-2		S			1.46						
		67	I	P	33	N-1		S			1.60						
		67	I	P	33	N-2		S			1.49						
		72	P	I	E		S				1.58						
		73	P	I	E	25	S				1.24						
		84	Cut	E	C		N				3.33						
		95	P	I	E		M				0.17						
144	R	07	P	I	CC		S				4.25						
		20	I	17	33	N-2					0.86	2.60	1.06	0.33	T		Rough bird point (I)
		25	I	F	ABF*	-					0.59	2.64	0.95	0.27	T		Rough to bird point (D)

B. X

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
144	R	35	1	M	35	N-2					0.36						
		36	P	F	CC		S				4.13						Ref. to unattached point (T)
		42	P	P	35*	N-2					1.22	3.13	1.18	0.35	T		
		48	P	F	CC		D				6.08						
		48	P	M	WAF	-					1.25	2.41	1.27	0.37	T		Unattached point (tip broken)
		53	P	M	35	N-1					0.37						
		68	C-48	F	F		N				26.96						
144	T	14	1	P	35	N-2		S			1.10						Platform out Flt
		20	P	F	F						0.60						
		20	P	F	F		S				1.58						
		20	P	F	F		P				0.39						
		28	P	M	35	N-2					2.36						
		36	C-CT	F	F		N				5.95						
		46	P	M	35	N-1					0.93						
		53	P	ND	35	N-3					2.04	3.07	2.26	0.27			
		57	P	P	35	N-2		S			1.34						
144	AA	01	1	M	ND	35	N-2				5.82						Mostly small frags.
		01	P	P	(2) 35	N-2		1:5	1:6		2.01						
		01	P	P	35	N-1		G			0.51						
		01	P	P	35	N-4		S			1.43						
		01	P	ND	35	N					0.34						
		01	P	D	35	N					0.37						
		01	P	D	15	N					0.20						
		01	P	F	(2) WAF	-					0.36						
		01	P	M	WAF	-					0.78	2.60	1.08	0.28	T		Rough bird pt. (T)
		01	P	M	35*	N-2					0.48						Retouched bit fragment
		02	P	M	(2) 35	N-2					2.47						
		02	P	I	R-D1						3.78	3.17	2.43	0.50	P		Provenience correct?
		03	P	M	35	N-2					0.53						

B,

PVN Lithics Catalog Form

Op	Sub Lot	Mat	Seg	Spec.	Reg/Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
144	A4 03	1	P	35	N-3				0.92						
	03 1			15-F					0.78	2.43	1.25	0.24	N	Y	
144	B6 04	P	F	CC					3.07						
	BC 02	1	17	35	N-2				0.88						
	02 1	17	35	N					0.90						
	Bv 03	1	P	35	N-2				2.03						
	Bv 03	1	F	JD					7.07	3.11	1.85	1.19	P	Y	Poss IT, or R-P, or R-P
	Bv 03	C-418	F	C					15.46						
	CG 01	1	M	35	N-3				0.58						
	CG 03	1	M	35	N-1				0.65						
	CG 03	P	-	C					2.65						
	CG 03	C-48	-	C					18.06						
	DD 01	1	P	(5)35	N-2				7.22						
	01 1	P	(2)35	N-1					2.31						
	01 1	P	35	N-X					0.68						
	01 1	M	35	N-1					1.11						
	01 1	M	(2)35	N-2					16.95						
	01 1	M	(3)35	N-3					4.70						
	01 1	M	(2)15	N-1					3.65						
	01 1	D	25	N-2					2.00						
	01 1	ND	35	N-2					0.86						
	01 1	D	35	N-X					0.61						
	01 1	D	35	N-2					1.91						
	01 1	ND	15	N-1					0.41						
	01 1	17	P8	E					0.43						
	01 1	17	P8	*					0.96	2.22	1.22	0.36	T		Very thin, poss is triangular point (IT)
	01 1	NB	35	N-X					1.06						
	01 1	D	R-D2						2.77	3.59	1.67	0.67	N	H-4	
	01 1-2	C	C-BP						3.36	2.33	1.70	1.25	N	Y	Follows others Poss C-F
	01 1	C	(2)P8	-					0.29						

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
144	DB	01	1	M	35	N-2					282						
		01	GCB	E	F		N				25.07						
		03	1	E	0635						10.52						
		03	P	E	F		S				0.19						VL-L
		03B	1	M	35	N-2					2.75						Lots like intentional snapping - many more
		03B	1	M	35	N-2					0.86						
		03B	1	P	35	N		S			0.65						
		03B	1	M	35	N-2					0.23						
		DB	01	1	P	35	N-2	G			1.12						
		DB	01	1	E	P8F	-				0.09						
		DE	02	C-6	E	F	N				4.87						
		DE	04	1	M	35	N-2				0.16						
		04	P	E	F		S				1.09						
		DE	03	1	M	35	N-2				1.99	4.17			Y	P	Rebated/used to join cross
		03	P	E	F		S				0.22						
		03	R	E	F		N				0.76						
<hr/>																	
484	A	01	1	P	35	N-2		S			1.83						
		01	1	M	35	N-2					1.96						
		01	1	M	35	N					0.88						
		02	1	M	35	N-2					3.03						
		02	1	P	15-D	N-1		G			2.53	4.32					

